

**climate**change  
in Australia 



temperature

technical report 2007 **supplementary material**



# Contents

Figures are for the following climate variables:

## Temperature (change in °C)

Figure S1	Summer	3
Figure S2	Autumn	4
Figure S3	Winter	5
Figure S4	Spring	6

*Note: The figure for annual temperature change is Figure A1 in the full technical report.*

© CSIRO 2007


Disclaimer: No responsibility will be accepted by CSIRO or the Bureau of Meteorology for the accuracy of the projections in or inferred from this report, or for any person's reliance on, or interpretations, deductions, conclusions or actions in reliance on, this report or any information contained in it.

The figures in this document provide best estimate, 10th percentile and 90th percentile projections for 2030, 2050 and 2070 for six SRES emission scenarios (B1, B2, A2, A1B, A1T, A1FI), and supplement material in Chapter 5 Regional Climate Change Projections of the Climate Change in Australia Technical Report 2007 (available at [www.climatechangeinaustralia.gov.au](http://www.climatechangeinaustralia.gov.au)).





Australian Government  
Bureau of Meteorology

Department of the Environment and Water Resources  
Australian Greenhouse Office





**Figure S1:**  
 Best estimate, 10th percentile and 90th percentile summer temperature changes (°C) for 2030, 2050 and 2070 and six SRES emission scenarios.







**Figure S2:** Best estimate, 10th percentile and 90th percentile autumn temperature changes (°C) for 2030, 2050 and 2070 and six SRES emission scenarios.





**Figure S3:**  
 Best estimate, 10th percentile and 90th percentile winter temperature changes (°C) for 2030, 2050 and 2070 and six SRES emission scenarios.





**Figure S4:**  
Best estimate, 10th percentile and 90th percentile spring temperature changes (°C) for 2030, 2050 and 2070 and six SRES emission scenarios.

